

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY REGION 8

999 18TH STREET- SUITE 300 DENVER, CO 80202-2466 Phone 800-227-8917 http://www.epa.gov/region08



Ref: 8EPR-SR

August 2, 2006

CITY & COUNTY OF DENVER 144 W COLFAX AVE DENVER CO 80202

RE: 4601 VINE ST APPRX

Dear Owner,

As part of the VB/I-70 Superfund Site investigation, we recently took soil samples at your property to find out if there is too much lead or arsenic in your yard. The results show that your property does not require a cleanup. The levels of both lead and arsenic are below our cleanup levels. The soil sampling results for your property are as follows:

ADDRESS: 4601 VINE ST APPRX	EPA Cleanup Levels
Lead	
227 parts per million (ppm)	above 400 ppm
Arsenic	
11 ppm	above 70 ppm

This means that your property is not considered by EPA to be part of the VB/I-70 Superfund Site. EPA does not believe that further measures are necessary. You and your family are not at significant risk from arsenic through ordinary contact with soil in your yard while playing, working, gardening, etc. Please note that there may be small areas in your yard, particularly near your house, that may have higher levels of lead due to peeling, external lead-based paint. EPA encourages all owners-of older properties to take reasonable precautions regarding lead-based paint.

For further information, please feel free to contact EPA Community Involvement Coordinators Jennifer Chergo at (303) 312-6601 or Patricia Courtney at (303) 312-6631.

Sincerely,

Victor Ketellapper

Remedial Project Manager

The Environmental Protection Agency, Region 8



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 8
Victor Ketellapper
Phone 800-227-8917
http://www.epa.gov/region08

CONSENT FOR ACCESS TO PROPERTY

Name: City & County Of Denver (or current property owner)

Location of Property: 4601 Vine St Apprx

Property ID: 6474

I consent to officers, employees, and authorized representatives of the United States Environmental Protection Agency (EPA) entering and having continued access to the above referenced property for the purpose of taking samples of soil on the Site.

I realize that these actions are undertaken pursuant to EPA's response and enforcement responsibilities under the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA or Superfund), 42 U.S.C. § 9601 et seq.

Printed Name


720) 913-1503

Phone Number

Signature

6-28-06

Date



Evergreen Analytical, Inc.

4036 Youngfield Street, Wheat Ridge, Colorado 80033-3862 (303) 425-6021

Client Sample 1D: VB-4601-VI-01 Client Project ID: 213001.01 Date Collected: 7/13/06 Date Received: 7/14/06

Lead

Lab Work Order: 06-4484 Lab Sample ID: 06-4484-10 Sample Matrix: Soil

300

METALS

Method: SW6010 Prep Method: SW3050

7439-92-1

Date Prepared: 7/18/06 Lab File ID: 072006PM **Dilution Factor:** Date Analyzed: 7/21/06 Method Blank: MB-10396 Lab Fraction ID: 06-4484-10A Analytes **CAS Number** Result LOL Units 7440-38-2 6.7 4.0 mg/Kg Arsenic

MB

Qualifiers: B - Analyte detected in the associated Method Blank, value not subtracted from result

E - Extrapolated value. Value exceeds calibration range

H - Sample analysis exceeded analytical holding time

J - Indicates an estimated value when the compound is detected, but is below the LQL

S - Spike Recovery outside accepted limits

U - Compound analyzed for but not detected

X - See case narrative

* -Value exceeded the Maximum Contamination Level (MCL), TCLP limit, or if compound is undetected, LQL exceeds MCL.

Definitions: NA - Not Applicable

LQL - Lower Quantitation Limit

5.9

mg/Kg

Surr - Surrogate

Print Date: 7/26/06

Evergreen Analytical, Inc.

4036 Youngfield Street, Wheat Ridge, Colorado 80033-3862 (303) 425-6021

Client Sample ID: VB-4601-VI-02 Client Project ID: 213001.01 Date Collected: 7/13/06 Date Received: 7/14/06

Analytes

Lab Work Order: 06-4484 Lab Sample ID: 06-4484-11 Sample Matrix: Soil

Result

METALS

Method: SW6010 Prep Method: SW3050

Date Prepared: 7/20/06 Lab File ID: 072106PM - Dilution Factor: 1

 Date Analyzed: 7/21/06
 Method Blank: MB-10418
 Lab Fraction ID: 06-4484-11A

 Analytes
 CAS Number
 Result
 LQL
 Units

 Lead
 7439-92-1
 180
 5.7
 mg/Kg

Date Prepared: 7/20/06 Lab File ID: 072506PM Dilution Factor:

CAS Number

Date Analyzed: 7/24/06 Method Blank: MB-10418 Lab Fraction ID: 06-4484-11A

Arsenic 7440-38-2 5.5 3.9 mg/Kg

MB Analyst

Approved

Qualifiers: B - Analyte detected in the associated Method Blank, value not subtracted from result

E - Extrapolated value. Value exceeds calibration range

H - Sample analysis exceeded analytical holding time

J - Indicates an estimated value when the compound is detected, but is below the LQL

S - Spike Recovery outside accepted limits

U - Compound analyzed for but not detected

X - See case narrative

* -Value exceeded the Maximum Contamination Level (MCL), TCLP limit, or if compound is undetected, LQL exceeds MCL.

Definitions: NA - Not Applicable

LQL - Lower Quantitation Limit

LQL

Units

Surr - Surrogate

Print Date: 7/26/06

Evergreen Analytical, Inc.

4036 Youngfield Street, Wheat Ridge, Colorado 80033-3862 (303) 425-6021

Client Sample ID: VB-4601-VI-03 Client Project ID: 213001.01 Date Collected: 7/13/06 Date Received: 7/14/06

Arsenic

Lab Work Order: 06-4484 06-4484-12 Lab Sample ID: Soil

Sample Matrix:

11

METALS		
Method: SW6010		Prep Method: SW3050
Date Prepared: 7/20/06	Lab File ID: 072106PM	- Dilution Factor: 1
Date Analyzed: 7/22/06	Method Blank: MB-10418	Lab Fraction 1D: 06-4484-12A
Analytes	CAS Number	Result LQL Units
Lead	7439-92-1	200 5.7 mg/Kg
Date Prepared: 7/20/06	Lab File ID: 072506PM	Dilution Factor: 1
Date Analyzed: 7/25/06	Method Blank: MB-10418	Lab Fraction ID: 06-4484-12A
Analytes	CAS Number	Result LQL Units

7440-38-2

Approved

Qualifiers: B - Analyte detected in the associated Method Blank, value not subtracted from result

E - Extrapolated value. Value exceeds calibration range

H - Sample analysis exceeded analytical holding time

J - Indicates an estimated value when the compound is detected, but is below the LQL

S - Spike Recovery outside accepted limits

U - Compound analyzed for but not detected

X - See case narrative

* -Value exceeded the Maximum Contamination Level (MCL), TCLP limit, or if compound is undetected, LQL exceeds MCL.

Definitions: NA - Not Applicable

LQL - Lower Quantitation Limit

3.9

mg/Kg

Surr - Surrogate

Print Date: 7/26/06